

## SAFETY DATA SHEET

**MAGIC LUSTER** Revision Date 10/18/2022

(Exact percentage of the listed chemicals of composition has been withheld as a trade secret)

CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME **Magic Luster** PRODUCT USE **Item Number** 11981 Rouge and Tripoli Remover 11989

**COMPANY NAME** Magic Cast Products Office (870) 330-4061

(870) 330-4065 3500 Tennessee Road Fax

Texarkana AR 71854 Web www.magiccastproducts.com

EMERGENCY TELEPHONE NUMBER INFOTRAC (800) 535-5053

SECTION - 2 HAZARDS INFORMATION

PHYSICAL HAZARDS

**HEALTH HAZARDS** EYES-Category 2A, SKIN-Category 2, STOT SINGLE EXPOSURE-Category 3

> Irritant (skin and eve) Respiratory Tract Irritant

WARNING! Causes serious eye irritation, Causes skin irritation, Harmful if swallowed, May cause respiratory irritation, Do not get in

eyes, on skin, or clothing, and avoid inhalation of mist, Use personal protective equipment as required, Wash thoroughly

after handling, Avoid release into the environment

COMPOSITION INFORMATION

**CHEMICAL NAME COMMON NAME AND SYNONYMS** CAS# **IMPURITIES PERCENT** Ethanolamine Dodecylbenzenesulphonic Acid, 2-aminoethanol 26836-07-7 5 - 15%

Dodecylbenzenesulfonate

SECTION - 3

The exact percentages (concentration) of mixture has been withheld as a trade secret in accordance to paragraph (i) of §1910.1200.

SECTION - 4 FIRST AID MEASURES

**EYE CONTACT** Immediately flush eyes with cold water for at least 15 minutes while lifting upper and lower eyelids, Remove contact

lenses if present and easy to do without injury to the eye and continue rinsing, If irritation persists obtain medical

attention, preferably from an ophthalmologist

SKIN CONTACT Wash contaminated skin with plenty of water, Remove any contaminated clothing and wash before reuse, If irritation is

present or occurs obtain medical attention

INHALATION Move person to fresh air, if they have problem breathing, show signs of overexposure or feel unwell obtain medical

attention

**INGESTION** DO NOT INDUCE VOMITING. If person is fully conscious, rinse mouth out and give one to two glasses of water to

dilute and obtain immediate medical attention. If vomiting occurs, keep head below hips to prevent aspiration into the

**Aspiration Hazard** Not considered to be an aspiration hazard

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Can cause serious eye irritation, redness, tearing, pain

Skin Can cause skin irritation, drying or cracking

Inhalation May be harmful if inhaled, Mist may cause mild irritation, to mucus membranes or respiratory tract

Ingestion Harmful if swallowed, Can cause irritation, of the mouth, throat, and esophagus, Minimal acute toxicity if swallowed

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes serious eye irritation, redness, tearing, pain, or possible corneal injury

Skin Causes skin irritation, redness, drying or cracking

Inhalation May be harmful if inhaled, Mist can cause irritation, to nose, throat, mucus membranes or respiratory tract

Harmful if swallowed, Causes irritation, of the mouth, throat, and esophagus, and may affect target organs, Slight Ingestion

acute toxicity if swallowed

#### SECTION - 5 FIRE FIGHTING MEASURES

**Extinguishing Media** Not flammable: Use extinguishing media for surrounding fire

**Hazardous Decomposition** Burning or thermal decomposition can produce, sulfur oxides, carbon monoxide, carbon dioxide, nitrogen

oxides, sodium oxides, and other toxic fumes

**Reactive With** Reacative with, strong oxidizing agents

**Explosion Hazards** Not applicable Static Discharge Not applicable **Mechanical Impact** Not applicable

**Protective Equipment** Use MSHA/NIOSH approved self-contained breathing apparatus and full protective gear

## FLAMMABLE LIQUIDS HAZARD CLASSIFICATION

Criteria Flash point > 93.3°C (200°F)

NFPA Class III B **GHS** Not applicable WHMIS Not applicable

NFPA HAZARD RATINGS Health 2 **Flammability** 0 Reactivity 0 **Personal Protection FBG** 

#### SECTION - 6 **ACCIDENTAL RELEASE MEASURES**

**Emergency Procedures** Warn personnel of spill

**Personal Precautions** Avoid slipping on spilled product

**Protective Equipment** Safety Glasses, Gloves

Containment Use absorbent socks or pads to prevent spill from spreading

Small Spills: Use wet vacuum or mop and wringer to pick up spilled material then mop area with clean water Clean Up Procedures

Large Spills: Absorb spill with inert material (e.g., dry sand or earth), then place in a chemical waste container

Vacuum or sweep up material and place in a disposal container

Disposal Dispose of material in accordance with all State and Federal Guidelines and Regulations

#### SECTION - 7 HANDLING AND STORAGE

Handling Keep away from incompatible materials, Use appropriate safety equipment, Avoid eye and skin contact, Avoid

inhalation of mist or vapors, May cause respiratory irritation, Harmful if swallowed, Wash thoroughly after

handling, Avoid release to the environment

Storage KEEP OUT OF REACH OF CHILDREN, Keep container closed when not in use, Store away from incompatible

materials

Incompatible Materials Incompatible with, strong oxidizing agents

#### **EXPOSURE CONTROLS / PERSONAL PROTECTION** SECTION - 8

**EXPOSURE LIMITS** Significant **CHEMICAL NAME** ACGIH (STEL) **OSHA PEL (TWA 8)** OSHA (CEIL) ACGIH (TWA 8) **Exposure** 

Ethanolamine

Dodecylbenzenesulfonate

None Established

#### PERSONAL PROTECTIVE EQUIPMENT






Chemical Safety Glasses. Goggles or Face Shield



**Chemical Gloves** 



(Recommended)



**HMIS HAZARD RATINGS** Health

Flammability 0 Reactivity 0 В **Personal Protection** 

SECTION - 9 PH	YSICAL AND CHEMICAL PROPERTIES		
Flash Point	Not Flammable	Specific Gravity / Relative Density	1.02
Flammable Limits	ND	Molecular Weight	ND
Auto-Ignition Temp.	ND	Initial Boiling Point	ND
Physical State	Liquid	Boiling Range	ND
Appearance	Clear Purple	Vapor Pressure	ND
Odor	Detergent	Vapor Density	ND
Odor Threshold	ND	Freeze Point	ND
Solubility	100%	Melting Point	ND
Volatiles	< 1%	Partition Coefficient	ND
voc	< 1%	<b>Decomposition Temperature</b>	ND
pH (± 0.3)	11.9	Evaporation Rate	ND

## SECTION – 10 STABILITY AND REACTIVITY

Reactivity (Specific Test Data) None available

Chemical Stability Stable when stored below 49°C (120°F)

Hazardous Polymerization Will not occur

Conditions To Avoid Incompatible materials

Incompatible Materials Incompatible with, strong oxidizing agents

Thermal Decomposition Burning or thermal decomposition can produce, sulfur oxides, carbon monoxide, carbon dioxide, nitrogen

oxides, sodium oxides, and other toxic fumes

## SECTION – 11 TOXICOLOGICAL INFORMATION

#### **ROUTES OF EXPOSURE**

Eyes (Yes), Skin (Yes), Inhalation (Yes "Mist"), Ingestion (Yes)

## **ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE**

Eyes Can cause serious eye irritation, redness, tearing, pain

Skin Can cause skin irritation, drying or cracking

Inhalation May be harmful if inhaled, Mist may cause mild irritation, to mucus membranes or respiratory tract

Ingestion Harmful if swallowed, Can cause irritation, of the mouth, throat, and esophagus, Minimal acute toxicity if swallowed

## CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes serious eye irritation, redness, tearing, pain, or possible corneal injury

Skin Causes skin irritation, redness, drying or cracking

Inhalation May be harmful if inhaled, Mist can cause irritation, to nose, throat, mucus membranes or respiratory tract

Ingestion Harmful if swallowed, Causes irritation, of the mouth, throat, and esophagus, and may affect target organs, Slight

acute toxicity if swallowed

Acute Tox Calculated Oral: 22,600 mg/kg Dermal: 2,622 mg/kg Inhaled: 990 mg/L

Acute Tox Category "Not applicable (Oral > 2,000 mg/kg)", "Not applicable (Dermal > 2,000 mg/kg)", "Not applicable (Inhaled > 20 mg/L) Vapors"

**Additional Info** 

Target Organs Kidneys, Liver, Respiratory Tract, Eyes (Lens or cornea), Skin

Medical Conditions Preexisting, eye, skin, liver, kidney, disorders may be aggravated by exposure to this product

Notes to Physician In case of ingestion, gastric lavage with activated charcoal can be used promptly to prevent absorption

<u>CARCINOGENIC – This product contains concentrations above 0.1% of the following:</u>

CHEMICAL NAME NTP ACGIH IARC GHS Category

None Listed

MUTAGENIC AND REPRODUCTIVE EFFECTS - May cause fetal and reproductive abnormalities.

CHEMICAL NAME Germ Cell Mutagenicity Toxic to Reproduction

None Listed

SECTION – 11 TOXICOLOGICAL INFORMATION - CONTINUED

ACUTE TOXICITY Type Form Subject Result Value Exposure Time GHS Category

None Listed

SECTION – 12 ECOLOGICAL INFORMATION

CHEMICAL NAME Type Subject Subject Latin Result Value Exposure Time GHS Category

None Listed

Presistence And Degradability This product is inherently biodegradable according to the OECD definition

Bioaccumulative Potential No data available

Mobility In Soil No data available

Other Adverse Effects Harmful to aquatic life

#### SECTION – 13 DISPOSAL CONSIDERATIONS

# DO NOT DUMP INTO ANY STORM SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER Dispose of any waste in accordance with all State and Federal Guidelines and Regulations

#### **ENVIRONMENTAL FATE**

Under RCRA rules, it is the responsibility of the user of the product to determine, at the time of disposal, whether the material is a hazardous waste.

Chemical additions, processing or otherwise altering this material may make the waste management information presented in this SDS incomplete, inaccurate, or otherwise inappropriate.

#### SECTION – 14 TRANSPORT INFORMATION

## **D.O.T. CLASSIFICATION**

Hazard ClassPacking GroupLabel CodesReportable Quantity (Ibs)Response CodeMarine PollutantNonePG IIINoneNone154No

Page 5 of 6	MAGIC LUSTER						R	Revision Date		10/18/2022			
SECTION – 15 REGULATORY INFORMATION													
TSCA													
CHEMICAL NAME	Sec 8(b)	Inventor	у	Sec 8(d) F	lealth And	Safety	Se	ec 4(a) Chei	mical Tes	t Rules	Sec 12(b	) Expo	rt Notification
None Listed													
REPORTABLE QUANTITIES		Extremel	y Hazardo	ous	Re	eportable (	Quantity	Emission	n Reportir	ng			
CHEMICAL NAME	EPCRA TP	Q Sec 30	2 EPCF	RA RQ Sec	304 CE	RCLA RQ	Sec 103	TRIS	Sec 313	R	CRA Code	RM	P TQ Sec 112r
None Listed													
SARA	Se	ection 3	11				Section	on 311 / 3	12 Haza	ırds			
CHEMICAL NAME	Hazard	dous Ch	nemical		Acute	(	Chronic	Fla	ammabl	е	Pressure		Reactive
None Listed													
RIGHT TO KNOW						STATE							
CHEMICAL NAME	CA	СТ	FL	IL	LA	NJ	NY	PA	MI	MN	MA	RI	WI
None Listed													
<u>CALIFORNIA</u>			WAR	NING! Th	is produ	ct contai	ns chem	nicals kno	wn to tl	he state	of Californ	ia to	cause:
CHEMICAL NAME	CAS#		Birth	Defects	F	Reproduc	tive Har	m	Carcii	nogen	D	evelo	pmental
None Listed													
CLEAN AIR WATER ACTS				an Air Ac							Water Acts		
CHEMICAL NAME	CAS#		HAF	•	Ozone	Class 1	Ozor	ne Class 2	2	HS	PP		TP
None Listed													
INTERNATIONAL REGULATIONS	- The compo	onents o	f this pro	duct are	listed on	the chem	ical inve	ntories of	the follo	wing cou	untries:		
CHEMICAL NAME	Austi	ralia	(	Canada	Eur	ope (EIN	ECS)	Japa	n	ŀ	Korea		UK
None Listed													
WHMIS Classification													
CHEMICAL NAME DSL Class Description													
None Listed .													
DSCL (EEC)													
Code Definition (R-Phrase		.)											
R22 Harmful if swallowed R36/37/38 Irritating to eyes, respiratory system and skin													
R36/37/38 Irritating to eyes, respiratory system and skin  S2 Keep out of the reach of children													
S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice													
S61 Avoid release to th	- ·			,	,		, ,						

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label where possible

S62

S24/25

S37/39

Avoid contact with skin and eyes

Wear suitable gloves and eye/face protection

## SECTION – 16 OTHER INFORMATION

SDS	Legend Description		
ACGIH	American Conference of Governmental Industrial Hygienists	LD50	Dose that is lethal to 50% of a given species by a given route of exposure
CAS	Chemical Abstracts Service Registry	LEL	Lower Explosive Limit
CEIL	Ceiling Limit (15 minutes)	NA	Not Applicable
CERCL	Comprehensive Environmental Response, Compensation, and Liability Act	ND	Not Determined
EPA	Environmental Protection Agency	NE	Not Established
FBG	Full Bunker Gear	NFPA	National Fire Protection Association
HAP	California Hazardous air pollutant Clean Air Act	NIOSH	National Institute for Occupational Safety and Health
HMIS-A	Safety Glasses	NTP	National Toxicology Program
HMIS-B	Safety glasses, gloves	OSHA	Occupational Safety and Health Administration
HMIS-C	Safety glasses, gloves, chemical apron	PEL	Permissible Exposure Limit (OSHA)
HMIS-D	Face shield, gloves, chemical apron	PP	California Priority Pollutant under the Clean Water Act
HMIS-E	Safety glasses, gloves, dust respirator	REL	Recommended exposure limit (NIOSH)
HMIS-F	Safety glasses, gloves, chemical apron, dust respirator	SARA	Superfund Amendments and Reauthorization Act
HMIS-G	Safety glasses, gloves, vapor respirator	STEL	Short Term Exposure Limit (15 minutes)
HMIS-H	Splash goggles, gloves, chemical apron, vapor respirator	TC Lo	Air concentration that is lethal to 50% of a given species in a given time
HMIS-I	Safety glasses, gloves, dust and vapor respirator	TD Lo	Lowest dose that is toxic to a given species
HMIS-J	Splash goggles, gloves, chemical apron, dust and vapor respirator	TLV	Threshold Limit Value (ACGIH)
HMIS-K	Air line hood or mask, gloves, full chemical suit, boots	TP	California Toxic Pollutant under the Clean Water Act
HMIS-X	Ask Supervisor	TSCA	Toxic Substances Control Act
HS	California Hazardous Substance under the Clean Water Act	TWA	Time Weighted Average (8 hours)
IARC	International Agency for Research on Cancer	UEL	Upper Explosive Limit
LC50	Air concentration that is lethal to 50% of a given species in a given time	WHMIS	Worker Hazardous Materials Information System (Canada)

## **Magic Cast Products**

and nCites, L.L.C. have compiled the information herein from sources believed to be reliable and up-to-date, and is accurate to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources or the completeness and expressly do not make warranties, nor assume any liability for its use. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever from any and all injuries, losses, or damages to persons or property arising from the use of this product or information.

Supersedes Safety Data Sheet Dated 6/15/2017