



## Safety Data Sheet DIP-AWAY

Version 1.3

Revision Date: 11/12/2023

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Dip-Away      **Product code:** 42.0508

#### Recommended use of the chemical and restrictions on use

Recommended use : Degreaser

#### Manufacturer or supplier's details

**Company** : Grobet File Company of America, LLC  
**Address** : 750 Washington Avenue  
Carlstadt, NJ 07072  
United States of America (USA)

#### Emergency telephone number:

Transport North America: CHEMTREC (1-800-424-9300)  
CHEMTREC INTERNATIONAL Tel # 703-527-3887

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Skin irritation : Category 2  
Eye irritation : Category 2A  
Skin sensitisation : Category 1  
Germ cell mutagenicity : Category 2  
Carcinogenicity : Category 1A  
Reproductive toxicity : Category 2  
Specific target organ toxicity - single exposure : Category 3 (Central nervous system)  
Aspiration hazard : Category 1

#### GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H304 May be fatal if swallowed and enters airways.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.



## Safety Data Sheet DIP-AWAY

Version 1.3

Revision Date: 11/12/2023

H341 Suspected of causing genetic defects.  
H350 May cause cancer.  
H361 Suspected of damaging fertility or the unborn child.

Precautionary statements

: **Prevention:**

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P264 Wash skin thoroughly after handling.  
P271 Use only outdoors or in a well-ventilated area.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.  
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P331 Do NOT induce vomiting.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P362 Take off contaminated clothing and wash before reuse.

**Storage:**

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.  
P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

**Hazardous components**

CAS-No.	Chemical name	Weight percent
79-01-6	Trichloroethylene	90 - 100

Any Concentration shown as a range is due to batch variation.



## Safety Data Sheet DIP-AWAY

Version 1.3

Revision Date: 11/12/2023

### SECTION 4. FIRST AID MEASURES


- General advice : Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.
- If inhaled : Consult a physician after significant exposure.  
If unconscious, place in recovery position and seek medical advice.
- In case of skin contact : If skin irritation persists, call a physician.  
If on skin, rinse well with water.  
If on clothes, remove clothes.
- In case of eye contact : Immediately flush eye(s) with plenty of water.  
If eye irritation persists, consult a specialist.
- If swallowed : Do not induce vomiting without medical advice.  
Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
Take victim immediately to hospital.

### SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Dry chemical  
Carbon dioxide (CO<sub>2</sub>)  
Foam
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon oxides  
Chlorine compounds
- Specific extinguishing methods : Use a water spray to cool fully closed containers.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.  
Use personal protective equipment.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.



## Safety Data Sheet DIP-AWAY

Version 1.3

Revision Date: 11/12/2023

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : Avoid formation of aerosol.  
Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Container may be opened only under exhaust ventilation hood.  
Dispose of rinse water in accordance with local and national regulations.  
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Observe label precautions.  
Electrical installations / working materials must comply with the technological safety standards.


### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

CAS-No.	Components	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
79-01-6	Trichloroethylene	TWA	10 ppm	ACGIH
		STEL	25 ppm	ACGIH
		TWA	100 ppm	OSHA Z-2
		CEIL	200 ppm	OSHA Z-2
		Peak	300 ppm	OSHA Z-2
		TWA	50 ppm 270 mg/m <sup>3</sup>	OSHA P0
		STEL	200 ppm 1,080 mg/m <sup>3</sup>	OSHA P0

#### Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.



## Safety Data Sheet DIP-AWAY

Version 1.3

Revision Date: 11/12/2023

Hand protection	In the case of vapour formation use a respirator with an approved filter.
Remarks	: The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	: Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	: Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: Clear, colorless
Odour	: ether-like
Odour Threshold	: No data available
pH	: 9 - 10 @ 20 - 25 °C (68 - 77 °F)
Freezing Point (Melting point/freezing point)	: -86.8 - -84.8 °C (-124.2 - -120.6 °F)
Boiling Point (Boiling point/boiling range)	: 84 - 88 °C (183 - 190 °F)
Flash point	: Not applicable
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit	: 10.5 %(V)
Lower explosion limit	: 7.8 %(V)
Vapour pressure	: 57.8 mmHg @ 20 °C (68 °F)
Relative vapour density	: 4.5 @ 20 - 25 °C (68 - 77 °F) (Air = 1.0)
Relative density	: 1.463 - 1.470 @ 20 °C (68 °F) Reference substance: (water = 1)
Density	: No data available
Solubility(ies)	
Water solubility	: completely miscible
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: log Pow: 2.29 - 5
Auto-ignition temperature	: 420 °C
Thermal decomposition	: No data available



## Safety Data Sheet DIP-AWAY

Version 1.3

Revision Date: 11/12/2023

Viscosity  
Viscosity, dynamic : 0.55 mPa.s @ 25 °C (77 °F)

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.  
Chemical stability : Stable under normal conditions.  
Possibility of hazardous reactions : No hazards to be specially mentioned.  
Conditions to avoid : Keep away from heat, flame, sparks and other ignition sources.  
Incompatible materials : Strong oxidizing agents  
Alkalis  
Acids  
magnesium  
Hazardous decomposition products : carbon dioxide and carbon monoxide  
chlorine compounds  
Phosgene

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Skin corrosion/irritation

**Product:**

Remarks: Irritating to skin.

**Components:**

**79-01-6:**

Species: Rabbit  
Exposure time: 4 h  
Result: Irritating to skin.

#### Serious eye damage/eye irritation

**Product:**

Remarks: Irritating to eyes.

**Components:**

**79-01-6:**

Species: Rabbit  
Result: Irritating to eyes.

#### Respiratory or skin sensitisation

**Product:**



## Safety Data Sheet DIP-AWAY

Version 1.3

Revision Date: 11/12/2023

Remarks: Causes sensitisation.

### **Components:**

#### **79-01-6:**

Test Type: lymph node assay

Species: Mouse

Result: The product is a skin sensitiser, sub-category 1B.

### **Germ cell mutagenicity**

#### **Product:**

Germ cell mutagenicity - Assessment : In vitro tests showed mutagenic effects

### **Components:**

#### **79-01-6:**

Genotoxicity in vivo : Species: Mouse  
Application Route: inhalation (vapour)  
Exposure time: 12 d  
Dose: 200, 1000 and 3000 ppm  
Result: negative  
  
Test Type: DNA damage and/or repair  
Species: Rat  
Application Route: inhalation (vapour)  
Dose: 500, 1000 and 2000 ppm  
Result: negative

### **Carcinogenicity**

#### **Product:**

Carcinogenicity - Assessment : Human carcinogen.

#### **IARC**

Group 2A: Probably carcinogenic to humans

79-01-6

Trichloroethylene

#### **OSHA**

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

#### **NTP**

Reasonably anticipated to be a human carcinogen

79-01-6

Trichloroethylene

### **Reproductive toxicity**

#### **Product:**

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments.



## Safety Data Sheet DIP-AWAY

Version 1.3

Revision Date: 11/12/2023

### STOT - single exposure

#### Product:

Target Organs: Respiratory system

#### Components:

##### **79-01-6:**

Target Organs: Central nervous system

Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

### Aspiration toxicity

#### Product:

May be fatal if swallowed and enters airways.

#### Further information

#### Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Concentrations substantially above the TLV value may cause narcotic effects.

Solvents may degrease the skin.

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **79-01-6:**

Toxicity to fish : LC50 (Jordanella floridae (Flagfish)): 28.3 mg/l  
Exposure time: 96 h  
Test Type: flow-through test

Toxicity to daphnia and other aquatic invertebrates : (Scenedesmus subspicatus (Chodat)): 20.8 mg/l  
Exposure time: 48 h  
Test Type: static test

Toxicity to algae : EC50: 36.5 mg/l  
End point: Growth rate  
Exposure time: 72 h

Chronic aquatic toxicity- Assessment : Harmful to aquatic life with long lasting effects.

#### **Persistence and degradability**

No data available

#### **Bioaccumulative potential**

No data available



## Safety Data Sheet DIP-AWAY

Version 1.3

Revision Date: 11/12/2023

### Mobility in soil

No data available

### Other adverse effects

#### Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances  
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Harmful to aquatic life with long lasting effects.

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.  
For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact Univar Solutions ChemCare: 1-800-637-7922

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

---

## SECTION 14. TRANSPORT INFORMATION

### DOT (Department of Transportation):

UN1710, TRICHLOROETHYLENE, 6.1, III

### IATA (International Air Transport Association):

UN1710, TRICHLOROETHYLENE, 6.1, III

### IMDG (International Maritime Dangerous Goods):

UN1710, TRICHLOROETHYLENE, 6.1, III

---

## SECTION 15. REGULATORY INFORMATION

WHMIS Classification : D2A: Very Toxic Material Causing Other Toxic Effects  
D2B: Toxic Material Causing Other Toxic Effects

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity



## Safety Data Sheet DIP-AWAY

Version 1.3

Revision Date: 11/12/2023

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Trichloroethylene	79-01-6	100	101

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Skin corrosion or irritation  
Serious eye damage or eye irritation  
Respiratory or skin sensitisation  
Specific target organ toxicity (single or repeated exposure)  
Aspiration hazard  
Germ cell mutagenicity  
Carcinogenicity  
Reproductive toxicity

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

79-01-6 Trichloroethylene

### Clean Air Act

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 112 (40 CFR 61):

79-01-6 Trichloroethylene

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489):

79-01-6 Trichloroethylene

### Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

79-01-6 Trichloroethylene

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

79-01-6 Trichloroethylene

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

### Massachusetts Right To Know

79-01-6 Trichloroethylene

### Pennsylvania Right To Know

79-01-6 Trichloroethylene

### California Prop 65

**⚠ WARNING:** This product can expose you to chemicals including Trichloroethylene, which is/are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### The components of this product are reported in the following inventories:

TSCA : On TSCA Inventory



# Safety Data Sheet DIP-AWAY


Version 1.3

Revision Date: 11/12/2023

- DSL : All components of this product are on the Canadian DSL
- AICS : On the inventory, or in compliance with the inventory
- ENCS : On the inventory, or in compliance with the inventory
- NZIoC : On the inventory, or in compliance with the inventory
- KECI : On the inventory, or in compliance with the inventory
- IECSC : On the inventory, or in compliance with the inventory
- PHIL : On the inventory, or in compliance with the inventory

## SECTION 16. OTHER INFORMATION

### NFPA:



### HMIS III:

<b>HEALTH</b>	<b>2*</b>
<b>FLAMMABILITY</b>	<b>1</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>

0 = not significant, 1 =Slight,  
 2 = Moderate, 3 = High  
 4 =Extreme, \* = Chronic

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Univar Solutions Product Compliance Department (1-855-429-2661) SDSNA@univarsolutions.com.

**Revision Date** : 11/12/2023

**Legacy SDS:** : 100000007716; 100000061474

**Material number:**

16189615, 16175356, 16168640, 16148892, 20270, 16056715, 16056714, 16013378, 554049, 554050, 107488, 165194, 20269, 20268, 503780

Key or legend to abbreviations and acronyms used in the safety data sheet			
ACGIH	American Conference of Govern-	LD50	Lethal Dose 50%



## Safety Data Sheet TRICHLOROETHYLENE

Version 1.3

Revision Date: 11/12/2023

	ment Industrial Hygienists		
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		